



CARBON CALCULATION REPORT

for

Optima Products Limited

Executive Summary

Optima (OPL) has previously appointed a third-party consultant to produce Environmental Protection Declarations (EPDs) for a range of their products. For the aluminium material used in the products OPL have already begun to use an aluminium with a lower embodied carbon, in kgCO₂e, owing to its 75% recycled content – made up from post-consumer recycled aluminium. OPL approached Tunley Engineering to perform forecast calculations to estimate the carbon reductions for a range of products owing to the use of the more environmentally friendly aluminium.

Tunley Engineering conducted the calculations to provide OPL with the expected carbon reduction that will result from use of the high recycled content aluminium for their products. These serve as interim forecasts until such time as a full set of updated EPDs are available.

Introduction and Assumptions

The current EPD documents for OPL products containing aluminium provide embodied carbon values for those products. Since the publication of these EPDs, OPL have proactively sought and implemented use of a more environmentally responsible aluminium material that contains a high content of post-consumer recycled aluminium. This reduces the embodied carbon for the aluminium content of each product.

An appropriate emission factor value for the billet of aluminium commonly used in the UK, excluding all further processing, as these factors remain unchanged, is 6.7 kgCO₂e/kg. The aluminium billet made using 75% post-consumer recycled aluminium has a lower carbon emission factor at 2.3 kgCO₂e/kg.

Tunley Engineering assumed that all emission sources other than Aluminium (billet or ingot) remain the same. The change is a direct result of exchanging the aluminium and nothing else within the EPD has otherwise changed.

The data provided in this report provides a forecast estimation for the products, to act as an intermediate guide until such time as full EPD updates can be provided.

Data

Table 1: Embodied carbon forecasts for OPL products resulting from implementing 75% recycled content Aluminium. All data is reported using declared unit of one m², with the exception of AMRs, which is reported per AMRs of 3m x 3m and 3m x 6m.

Product		Emissions - EPDs (kgCO ₂ e)	Forecast Emissions (kgCO ₂ e)	Reduction (kgCO ₂ e)	Reduction (%)
Partition	Optima 117 Plus 12.8mm – Cat III*	51.4	44.4	7.0	13.7%
Partition	Optima 117 Plus 16.8mm – Cat I*	59.7	56.2	3.5	5.9%
Partition	Optima 117 Plus 16.8mm – Cat II*	64.7	56.8	7.9	12.2%
Partition	Revolution 54 Plus (Single Glazed) – Cat II*	57.0	47.5	9.2	16.2%
Partition	Revolution 54 Plus (Double Glazed) – Cat I*	94.0	87.8	6.2	6.6%
Partition	Revolution 54 Plus (Double Glazed) – Cat II*	100.0	90.8	9.2	9.2%
Partition	Revolution 54 Plus (Double Glazed) – Cat III*	115.0	99.2	15.8	13.8%
Partition	Revolution 100 (Single Glazed) – Cat III*	76.4	59.7	16.3	21.4%
Partition	Revolution 100 (Double Glazed) – Cat I*	98.0	87.9	10.1	10.3%
Partition	Revolution 100 (Double Glazed) – Cat II*	102.0	87.9	14.1	13.8%
Partition	Revolution 100 (Double Glazed) – Cat III*	104.0	87.7	16.3	15.7%
Door	Edge Symmetry (Single Glazed)	80.2	49.8	30.4	37.9%
Door	Edge Symmetry (Double Glazed)	90.2	59.9	30.4	33.6%
Door	Edge Affinity (Single Glazed)	80.6	50.2	30.4	37.7%
Door	Edge Affinity (Double Glazed)	92.4	62.0	30.4	32.9%
Door	Elite Symmetry (Double Glazed)	96.8	66.5	30.4	31.3%
Door	Elite Affinity (Double Glazed)	85.3	54.9	30.4	35.6%
Other	Fabric Adaptable Wall	57.1	31.6	25.5	44.7%
Other	Laminate Adaptable Wall	53.9	28.4	25.5	47.3%
Other	AMR 3m x 3m (declared unit: one product)	4,040	3,072	968.0	24.0%
Other	AMR 3m x 6m (declared unit: one product)	5,840	4,432	1,408	24.0%

*The different categories for each product refers to differing aluminium content and product specification as detailed in each EPD.

Approval (Internal use only)

Issued by:	Tunley Engineering Ltd.
Approved by:	Dr Torill Bigg CEng MChemE
Approved Date:	10 th March 2023
Reference:	SUP-OPTIMA-MIS-5
Revision:	F



IMPORTANT NOTICE:

Tunley Engineering Ltd has prepared this report and any attachments, based on an agreed scope of work and acts as an advisor to the named Client and exercises all reasonable skill and care in the provision of its professional services, in a manner consistent with the level of care and expertise exercised by Consultants in a similar environment.

Reports are commissioned by and prepared for the exclusive use of the named Client. They are subject to and issued in accordance with the agreed terms between the Client and Tunley Engineering Ltd. Tunley Engineering Ltd is not responsible and will not be liable to any other person or organisation for, or in relation to any matter dealt within this Report, or for any loss or damage suffered by any other person or organisation arising from matters dealt with or conclusions expressed in this report (including without limitation), matters arising from any negligent act or omission of Tunley Engineering Ltd, or for any loss or damage suffered by any other party relying upon the matters dealt with or conclusions expressed in this Report.

This report is not intended to be a comprehensive review of the practices of the named recipient nor the viability of its products or services. It is the responsibility of the named recipient to ensure that all its products or services adhere to and are compliant with all applicable laws, regulations and other generally accepted standards of quality and performance. Tunley Engineering Ltd accepts no liability for any failure of the products or services to meet any such standards or for any loss or other damages, (including death or personal injury) caused as a result of any such failure.

When taking any action, Recipients should not rely solely upon the report or the accuracy or completeness of any conclusions and should make their own inquiries and if they are unsure, should obtain independent advice in relation to such matters.

Except where expressly stated, Tunley Engineering Ltd has not verified the validity, accuracy or comprehensiveness of any information supplied to it, used as the background information for the writing of this report. It is assumed that the information provided to Tunley Engineering Ltd was both complete and accurate.

Information contained in the Report is current as at the date of the Report, and may not reflect any event or circumstances which occur after the date of the Report. Tunley Engineering Ltd makes no representation or guarantee that their services or this report will result in any enhancement of the Company.

COPYRIGHT STATEMENT: The concepts and information contained in this document (except the client's own copy information) are the property of Tunley Engineering Ltd. Use, copying or distribution to any third party is expressly prohibited. We do not accept any liability if this report is used for an alternative purpose from which it is intended, nor to any third party in respect of this report or of this document in whole or in part, by anyone other than the addressed recipients. Any such third-party disclosures without the written permission of Tunley Engineering Ltd constitutes an infringement of copyright.